

CG90IANT9


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven EAN code Energy efficiency class 90x60 cm 1 ELECTRICITY Induction Thermo-ventilated 8017709288716 A



Aesthetics

Aesthetic	Classica	Display	Touch
Serie	Concerto	No. of controls	2
Colour	Anthracite	Serigraphy colour	Silver
Finishing	Matt	Handle	Smeg round handle
Design	Standard	Handle Colour	Brushed stainless steel
Door	Full glass	Glass type	Black
Hob colour	Stainless steel	Feet	Black
Command panel finish	Enamelled metal	Logo	Assembled
Control knobs	Smeg Classic	Logo position	Facia below the oven
Controls colour	Stainless steel		

Programme / Functions



Hob options



0	ingic logic
---	-------------

Control lock Yes Limited Power Yes **Consumption Mode**

Limited Power Consumption Mode in W

3000, 4500, 7400 W

Hob technical features



lotal no. of cook zones 4			
Front left - Induction - single	- 2.30 kW - Booster 3.00 kW	/ - Ø 21.0 cm	
Rear left - Induction - single	- 1.30 kW - Booster 1.40 kW	′ - Ø 18.0 cm	
Rear right - Induction - gian	t - 2.30 kW - Booster 3.00 kV	V - Ø 21.0 cm	
Front right - Induction - sing	le - 1.30 kW - Booster 1.40 k	W - Ø 18.0 cm	
No. of cooking zones with Booster	4	Minimum pan diameter indication	Yes
Automatic switch off when overheat	Yes	Selected zone indicator	Yes
Automatic pan detection	Yes		

Main Oven Technical Features

115N 🖾 🕵 🧔			
No. of lights	1	Removable inner door	Yes
Fan number	1	Total no. of door glasses	3
Net volume of the cavity	115	No.of thermo-reflective	1
Gross volume, 1st cavity	1291	door glasses	
Cavity material	Ever Clean enamel	Safety Thermostat	Yes
No. of shelves	5	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	371x724x418 mm
Light type	Halogen	dimensions (HxWxD)	
Light Power	40 W	Temperature control	Electro-mechanical
Cooking time setting	Start and Stop	Lower heating element	1700 W
Light when oven door is open	Yes	power Upper heating element - Power	1200 W
Door opening	Flap down	Grill elememt	1700 W
Removable door	Yes		
Full glass inner door	Yes	Large grill - Power	2900 W
		Circular heating element - Power	2000 W
		Grill type	Electric

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	260 °C




Accessories included for Main Oven & Hob

Rack with back and side stop	1	Grill mesh	1
40mm deep tray	1		

Electrical Connection

Electrical connection rating	10600 W	Type of electric cable installed	Yes, Single phase
Current	46 A	Additional connection	Yes, Double and Three
Voltage	220-240 V	modalities	Phase
Voltage 2 (V)	380-415 V	Frequency	50/60 Hz
0		Terminal block	5 poles





Not included accessories

AIRFRY9



Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

GTP



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

BBQ9



SFLK1 Child lock



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

KIT600SNL-9

Cover strip for hob back side, depth 60mm, suitable for 90cm single oven Concerto cookers

KIT90N9

Splashback black , 90 cm, suitable for BU & BM cookers



КІТ90Х9-1

Splashback, stainless steel, 90cm, for Concerto cookers with single MF or gas oven



KITH95

Height extension feet (950mm), stainless steel, suitable for Concerto cookers (911-966mm)



KITPDQ

Height reduction feet (850mm), stainless steel, for Concerto cookers (850-881mm)

PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.





SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

necessary.

 (\mathbf{P})

Ľ

ECO


8

STOP

°CŦ

Power booster: option allows the zone to work at

full power when very intense cooking is



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



S

Triple glazed doors: Number of glazed doors.

A: Product drying performance, measured from A+++ to D / G depending on the product family

Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.

- Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread,
- Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.

Giant zone: The giant zone offers extra space and

Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.





All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.

Г	1	
k	2L)	
- 11	13	
- 18		

The inner door glass: can be removed with a few quick movements for cleaning.



The oven cavity has 5 different cooking levels.

Ì	1	1	5	
Į				

The capacity indicates the amount of usable space in the oven cavity in litres.